


Objective Shims, fit RMS thread (20.32 mm Dia.), **USA**

Parfocalize objectives with these stainless steel rings.

25 μm (0.001") Thick, Pk/10. 10032061	\$16.15
50 μm (0.002") Thick, Pk/10. 10032062	\$16.15
75 μm (0.003") Thick, Pk/10. 10032063	\$16.15
100 μm (0.004") Thick, Pk/10. 10032064	\$16.15
125 μm (0.005") Thick, Pk/10. 10032065	\$16.15
Assortment Pack, pk/10. 100320630	\$19.80




Includes two each of the following thicknesses: 25, 50, 75, 100, and 125 μm.

Highly efficient, linear polarizing film has excellent color reproducibility. Transmission is 38% for a single polarizer, while extinction is better than 99.99% for crossed polars. Film is 0.76 mm thick.



Polarizing Film, 50 x 50 mm Pair w/Plastic Case, **USA. 15751** ... \$15.00



Reticles & Stage Micrometers



Reticles, eyepiece, 1.5 mm thick, Klarmann Rulings, **USA**

*Specify reticle diameter using 2-digit suffix, for example, use **KR-207-21** for 21 mm diameter reticle

5 mm/100 Parts. KR-209-__*	\$84.00
10 mm/100 Parts. KR-207-__*	\$84.00
Crossline 90°. KR-301-__*	\$84.00
Crossline 90° with 10 mm/100 Parts Scale. KR-257-__*	\$84.00
Howard Disc. KR-832-__*	\$84.00
Indexed Square, 100 sqs, each 1 x 1 mm. KR-406B-__*	\$84.00
1-10 on x-axis; A-J on y-axis	
Miller Disc	
★ Corner Square. KR-802-__*	\$84.00
Central Square. KR-802A-__*	\$84.00
Walton Beckett, G-22. KR-827-1-__*	\$197.00
Whipple Disc. KR-413-__*	\$84.00



Stage Micrometers, Transmitted Light

- ★ 1 mm-0.01 mm/div on 1 mm thick slide, protected with microcoverslip. Preferred for compound microscopes. 10 mm/100 Parts Scale (0.1 mm), Meiji. **MA187**..... \$105.00
- 10 mm-0.1 mm/div on 1 mm thick slide, protected with 1 mm thick coverslip. Designed for stereo microscopes. 25 mm Scale, **USA. KR-812** \$180.00
- 25mm-1 mm/div, 5 mm-0.1 mm/div, 2 mm-0.02 mm/div on 3 mm thick slide. Preferred at magnifications below 400X. Ideal for large field stereo microscopes. 0.2 mm Square/400 Squares, Meiji. **MA287** \$105.00
- 20 vertical lines, 1 mm long and spaced 0.01 mm apart, intersect 20 similar horizontal lines to create a central 0.2 mm square consisting of 400 squares, each 0.01 mm. 1 mm thick slide is protected with microcoverslip. Useful for x-y calibration. 0.04"/40 Parts Scale (0.001"), Meiji. **MA286** \$105.00
- 0.04"-0.001"/div on 1 mm thick slide, protected with microcoverslip.

Stage Micrometer, Reflected Light

- 1 mm/100 Parts Scale (0.01 mm), Meiji. **MA292**..... \$210.00
- 1 mm-0.01 mm/div on 3 mm thick metal slide